


Meditation and T-cell Senescence

Gary Soffer, MD
Yale School of Medicine
Assistant Professor Department of
Pediatric Pulmonology, Allergy,
Immunology & Sleep Medicine
Integrative Medicine Program,
Smilow Cancer Center



Integrative Medicine

- What is Integrative Medicine
 - ‘Complementary & Alternative’
 - Evidence Based Medicine
 - Less invasive ways of treating disease
 - Changing the experience of the disease
 - Supporting the body’s innate ability to heal itself (placebo/meditation)



What Integrative Medicine Shouldn't be.....

- Anti-vaccine
- Anti-antibiotic
- Anti-conventional medicine
- An 'alternative'
- A panacea for disease
- 'Cutting edge medicine'



| | | | |
|-----------------------|-------------------|--------------------------------------|-------------------|
| | | Is the Therapy Effective? | |
| | | <i>Yes</i> | <i>No</i> |
| Is the Therapy | <i>Yes</i> | Recommend | Tolerate |
| | <i>No</i> | Monitor closely or discourage | Discourage |
| non-Invasive | | | |



Brief introduction to meditation

- Consciously directing your attention
- “I’m going to go meditate on that”
- Meditation: meditatum, “to ponder.”
- Practice



A (VERY) Brief history

- Earliest references in Hindu scriptures (5th-6th century)
- Initially developed by Hindus to get closer to God (Brahman)
- Hinduism and Buddhism split
 - Hindu: closer to God
 - Buddhism: Interrelatedness
- Scientific History:
 - Howard Benson
 - **Jon Kabat Zinn**
 - Richard Davidson



Many Different Types

- Transcendental Meditation
- Mindfulness/MBSR
- Forest Bathing
- Guided Meditation
 - Compassion
 - Guided imagery
- Etc. Etc. Etc.



Meditation and the Immune System in Brief

- Most studies (1) pre and post MBSR course (2) Long Term Meditators (30 minutes/day for 2-3 years)
- Inflammatory Markers: Decreased IL-6, increased IL-10, decreased TNF- α
- Transcription Factors and Gene Expression: Decreased NF- κ B in PBMC
- Decreased expression of pro-inflammatory genes (RIPK2 and COX2 with changes in histone deacetylase)
- Cell Counts: Increased CD4+ in HIV patients
- Ig Response: significantly greater influenza titers




Senescence/Immunosenescence

- Cellular senescence
 - Response to cellular aging (ie human aging) and stress
 - Highly stable cell cycle arrest that is elicited in response to stresses
 - Growth arrest limits replication of old or damaged cells
- Immunosenescence
 - Diminished adaptive immune competence
 - Leads to reduced infection resistance, decreased vaccine response and pro-inflammatory traits




Cell Intrinsic Factors



- Telomere shortening
- Change in cellular phenotype
- Altered differentiation status
- Altered proliferation status
- Defects in homing properties

Environmental Extrinsic Factors



- Tissue disorganisation
- Accumulation of different cell types
- Pro-inflammatory environment
- Change in the niche area
(eg ECM, adhesion molecules, chemokine production)



Immune Senescence



T-cell Senescence

- Characterized by
 - telomere shortenings,
 - phenotypic change (loss of CD28 expression)
 - cell cycle arrest
- Proteins p16, p21, and p53,
 - normally inhibit cell cycle
 - accumulated in senescent cells
- Defective killing abilities and the development of negative regulatory functions
- High levels of senescent T cells in older people but also found in younger patients with autoimmune disease and chronic viral infection



Immunosenescence and Disease

- Increased susceptibility to infection
- Increased cardiovascular disease
- Contributes to neurodegenerative disease
- Contributes to cancer
- Contributes to DM2
- May increase likelihood of autoimmunity



CD8+ Cell Aging and use of CyTOF

- Insoo Kangs Lab
 - CyTOF: Mass cytometry - uses heavy metal ions
 - Allows measurement of 40+ molecules/markers from one tube
 - Can be analyzed to show high-dimensional relationships of individual molecules
 - Used CyTOF to analyze markers CD8+ cell aging



Findings

- CD8 cell markers of senescence
 - Decreased CCR7
 - Decreased proliferation
 - Decreased CD27 expression (naive cell marker)
 - Decreased CD62L (cell adhesion molecule)
- IL-7 receptor alpha (low vs high) CD8+ EM T cells revealed an age-associated signature linked to influenza vaccine response in older adults



Plan

- Recruit participants in MBSR course as well as long term meditators.
- Compare CD8 senescence markers pre and post 8 week MBSR course
- Compare CD8 senescence markers in long term meditators versus healthy controls



Markers

- CD4/CD8 ratio
 - TREC
 - Telomere Length
 - Telomerase activity
- CD8 Markers:
 - CD57
 - CCR7
 - CD27
 - CD62L
 - IL-7ra
 - CD52
 - CD45RA/RO
 - Tbet
 - PD1
 - Granzyme B
 - Perforin



Thank You

- Insoo Kang MD
- Rajita Sinha PhD
- Smilow Cancer Center - Ben Judson MD
- David Nichtern
- Suzanne Cassel MD, PhD
- Deborah Levinson



References

- 1) Kemper K, Cohen M. Ethics meet complementary and alternative medicine: new light on old principles. *Contemp Pediatr*. 2004;21:65
- 2) Creswell, J. David et al. Alterations in Resting-State Functional Connectivity Link Mindfulness Meditation With Reduced Interleukin-6: A Randomized Controlled Trial. *Biological Psychiatry*, Volume 80, Issue 1, 53 - 61
- 3) Jang JH, Park HY, Lee US, Lee KJ, Kang DH. Effects of Mind-Body Training on Cytokines and Their Interactions with Catecholamines. *Psychiatry Investig*. 2017;14(4):483–490. doi:10.4306/pi.2017.14.4.483
- 4) Hur S, Han GS, Cho BJ. Changes in Glucose, TNF- α and IL-6 Blood Levels in Middle-aged Women Associated with Aerobic Exercise and Meditation Training. *J Phys Ther Sci*. 2014;26(12):1933–1936. doi:10.1589/jpts.26.1933
- 5) Epel ES, Puterman E, Lin J, et al. Meditation and vacation effects have an impact on disease-associated molecular phenotypes. *Transl Psychiatry*. 2016;6(8):e880. Published 2016 Aug 30. doi:10.1038/tp.2016.164
- 6) Epel E, Daubenmier J, Moskowitz JT, Folkman S, Blackburn E. Can meditation slow rate of cellular aging? Cognitive stress, mindfulness, and telomeres. *Ann N Y Acad Sci*. 2009;1172:34–53. doi:10.1111/j.1749-6632.2009.04414.x
- 7) Kaliman P, Alvarez-López MJ, Cosín-Tomás M, Rosenkranz MA, Lutz A, Davidson RJ. Rapid changes in histone deacetylases and inflammatory gene expression in expert meditators. *Psychoneuroendocrinology*. 2014;40:96–107. doi:10.1016/j.psyneuen.2013.11.004
- 8) Black DS, Slavich GM. Mindfulness meditation and the immune system: a systematic review of randomized controlled trials. *Ann N Y Acad Sci*. 2016;1373(1):13–24. doi:10.1111/nyas.12998
- 9) Min Sun Shin, et al. Dissecting alterations in human CD8+ T cells with aging by high-dimensional single cell mass cytometry, *Clinical Immunology*, Volume 200, 2019, Pages 24-30, ISSN 1521-6616. <https://doi.org/10.1016/j.clim.2019.01.005>.
- 10) Myung Sun Hong, et al, Age-associated changes in the frequency of naïve, memory and effector CD8+ T cells, *Mechanisms of Ageing and Development*, Volume 125, Issue 9, 2004, Pages 615-618, ISSN 0047-6374, <https://doi.org/10.1016/j.mad.2004.07.001>.
- 11) Kim HR, Hong MS, Dan JM, Kang I. Altered IL-7R α expression with aging and the potential implications of IL-7 therapy on CD8+ T-cell immune responses. *Blood*. 2006;107(7):2855–2862. doi:10.1182/blood-2005-09-3560

Anergy vs Exhaustion vs Senescence

- Anergy
 - Naive T-cells
 - Induced hyporesponsiveness with low IL-2 production
 - Low co-stimulator or high co-inhibitory stimulation
 - Induced tolerance (protects from AI dz)
- Exhaustion
 - Effector T cells
 - decreased cytokine expression and effector function,
 - Occurs when T cells are chronically activated at sites of chronic inflammation (cancer, chronic infection etc)

