

References for Making IT Count: Venom Immunotherapy Case (Cory Allen)

Brown SGA, Wiese MD, Blackman KE, Heddle RJ. Ant venom immunotherapy: a double-blind, placebo-controlled, crossover trial. *The Lancet*. 2003; 361(9362): 1001-1006.

doi: [10.1016/S0140-6736\(03\)12827-9](https://doi.org/10.1016/S0140-6736(03)12827-9)

Georgitis J, Reisman R. Venom skin tests in insect-allergic and insect non-allergic populations. *J Allergy Clin Immunol*. 1985; 76(6): 803-807.

doi: [10.1016/0091-6749\(85\)90752-3](https://doi.org/10.1016/0091-6749(85)90752-3)

Goldberg A, Confino-Cohen R. Maintenance venom immunotherapy administered at 3-month intervals is both safe and efficacious. *J Allergy Clin Immunol*. 2001; 107(5): 902-906.

doi: [10.1067/mai.2001.114986](https://doi.org/10.1067/mai.2001.114986)

Golden DBK. Insect sting allergy and venom immunotherapy: A model and a mystery. *J Allergy Clin Immunol*. 2005; 115(3): 439-447. doi: [10.1016/j.jaci.2005.01.005](https://doi.org/10.1016/j.jaci.2005.01.005)

Golden DBK, Demain J, Freeman T, et al. Stinging insect hypersensitivity: a practice parameter update 2016. *Ann Allergy Asthma Immunol*. 2016; 118: 28-54. doi: [10.1016/j.anai.2016.10.031](https://doi.org/10.1016/j.anai.2016.10.031)

Golden DBK, Kagey-Sobotka A, Norman PS, Hamilton RG, Lichtenstein LM. Outcomes of Allergy to Insect Stings in Children, with and without Venom Immunotherapy. *N Engl J Med*. 2004; 351: 668-74. doi: [10.1056/NEJMoa022952](https://doi.org/10.1056/NEJMoa022952)

Goldman A, Confino-Cohen R. Timing of venom skin tests and IgE determination after insect sting anaphylaxis. *J Allergy Clin Immunol*. 1997; 100(2): 182-4.

doi: [10.1016/S0091-6749\(97\)70222-7](https://doi.org/10.1016/S0091-6749(97)70222-7)

Graft DF, Golden DBK, Reisman RE, Valentine MD, Yunginger JW. Position statement: The discontinuation of Hymenoptera venom immunotherapy. *J Allergy Clin Immunol*. 1998; 101(5): 573-575. doi: [10.1016/S0091-6749\(97\)70222-7](https://doi.org/10.1016/S0091-6749(97)70222-7)

Hunt KJ, Valentine MD, Sobotka AK, Benton AW, Amodio FJ, Lichtenstein LM. A controlled trial of immunotherapy in insect hypersensitivity. *N Engl J Med*. 1978; 299(4): 157-61.

<http://www.ncbi.nlm.nih.gov/pubmed/78446>

Lockey RF, Turkeltaub PC, Olive ES, Hubbard JM, Baird-Warren IA, Bukantz SC. The Hymenoptera venom study III: safety of venom immunotherapy. *J Allergy Clin Immunol*. 1990; 86(5): 775-80. <http://www.ncbi.nlm.nih.gov/pubmed/2229842>

Müller U, Thurnheer U, Patrizzi R, Spiess J, Hoigne R. Immunotherapy in bee sting hypersensitivity. Bee venom versus wholebody extract. *Allergy*. 1979; 34(6): 369-378.

doi: [10.1111/j.1398-9995.1979.tb02006.x](https://doi.org/10.1111/j.1398-9995.1979.tb02006.x)

Ruëff F, Przybilla B, Biló MB, et al. Predictors of severe systemic anaphylactic reactions in patients with Hymenoptera venom allergy: Importance of baseline serum tryptase—a study of the European Academy of Allergology and Clinical Immunology Interest Group on Insect Venom Hypersensitivity. *J Allergy Clin Immunol*. 2009; 124(5): 1047-54.

doi: [10.1016/j.jaci.2009.08.027](https://doi.org/10.1016/j.jaci.2009.08.027)

Ruëff F, Wenderoth A, Przybilla B. Patients still reacting to a sting challenge while receiving conventional Hymenoptera venom immunotherapy are protected by increased venom doses. *J Allergy Clin Immunol*. 2001; 108(6): 1027-1032.

doi: [10.1067/mai.2001.119154](https://doi.org/10.1067/mai.2001.119154)

Tankersley MS, Ledford DK. Stinging insect allergy: state of the art 2015. *J Allergy Clin Immunol Pract*. 2015; 3(3): 315-22. **doi:** [10.1016/j.jaip.2015.03.012](https://doi.org/10.1016/j.jaip.2015.03.012)